tass



Lean your body forward slightly to support the guitar against your chest, for the poetry of the music should resound in your heart.

Andrés Segovia

History of Furch

he first quitar to appear with the Eurob brand name on the bear

The first guitar to appear with the Furch brand name on the headstock was built in 1981 and was the product of a small unofficial 'garage' company, in what was then Czechoslovakia.

At that time the communist regime disallowed all private enterprise, but founder František Furch's insatiable desire for all things musical, forced his pursuits underground. His first instrument was made much earlier — while still a teenager — and consisted of an old drum body turned into a banjo.

Later in the '80s František Furch was known throughout the Czech music scene as a premium guitar builder and his instruments were the choice of many top musicians. In 1989, the Velvet Revolution and the fall of communism finally allowed František to realise his dreams without fear of persecution, and he set about forming his own manufacturing company. Furch Guitars was officially founded and he took on his first employee in a small 20m² factory.

In the early '90s the total output from Furch Guitars was sold on the domestic market but as word spread to neighbouring countries, demand increased rapidly, and a decision was undertaken to increase the workshop capacity. In 1999 there were already 25 luthiers working in the company, and the same year also brought about important changes to the product range.

A brand new class of guitar was introduced to the Furch line-up
— the Millennium Series — which offered a fresh, modern guitar design that nicely
complemented the more traditional Vintage Series. Both these model ranges remain at the core

of Furch Guitars to this day.

Growing demand at the dawn of the 21st century led František Furch to acquire a 16th century mill complex in the village of Velké Němčice, where he set about transforming the property into a modern factory facility. Over the following years all areas of production were slowly transferred to the new premises, and in 2011 the old mill complex held the 30th anniversary party for Furch Guitars. By this time the company had grown considerably and had a workforce of more than 40 employees.

Nowadays the company is run by both František and his son Petr, and they continue to produce a range of top class instruments. They are constantly experimenting with new design and construction techniques, and applying modern research and technology in their quest to advance the acoustic qualities of their instruments. There is no question about the quality of Furch Guitars as testified by the top musicians using them; names such as Suzanne Vega, David Knopfler, Richard Smith, Glen Hansard and many more.





The Woods We Use

The woods used by Furch Guitars are sourced from all around the World, and the finest cuts carefully selected. We only use ethically harvested exotic materials from suppliers who can certify the origin of the wood. After the wood arrives at our factory, the soft drying process starts, guaranteeing the long term stability of the material.

The wood is then graded according to various criteria including colour balance, grain pattern/consistency and rigidity.

- I. African Mahogany
- II. Adirondak Spruce
- III. African Blackwood
- V. Indian Rosewood
- V. European Flamed Maple
- VI. Western Red Cedar
- VII. Black Walnut
- VIII. Alpine Spruce
- IX. Ziricote
- X. South American Mahogany
- XI. African Ebony
- XII. Sitka Spruce
- XIII. Cocobolo
- XIV. Ovangkol
- XV. Hawaiian Koa
- XVI. Madagascar Rosewood



Dreadnought




Dreadnought Cutaway



Round Shoulder



Grand Auditorium



Grand Auditorium Cutaway



Super Jumbo



Super Jumbo Cutaway



Orchestra Model



Orchestra Model Cutaway





Little Jane



Bass guitar

Body shapes





Finish

Our guitars come with a variety of finishes, and while the primary purpose of the finish is to protect the instrument, it can also enhance the resonance of the wood, as well as improve playability.

I. High-glossy Finish

The UV lacquer that we use as the main element of our finishes has been in continuous development for years, and the precision process of spraying, sanding and thickness-gauging greatly perfected. The resulting layer is thin and consistent, and acts directly on the wood to maximize the resonant qualities, while also providing protection. On top of this the final gloss layer is applied, and with utmost attention paid to flatness and polishing, an 85% reflectance level is reached.

II. Vintage Finish

The vintage finish takes advantage of the same UV technology as our high gloss finish, but the top layer provides the warmth and appearance of a vintage instrument. The top layer is brushed on by hand and immediately gives the look and feel of a played-in instrument.

III. Satin Finish

As above, the main element is the UV coating providing protection and resonance enhancements, but the top coat imparts a more minimalistic appearance than the glossy options.

IV. Open-Pore Finish

This is a thin coating that is applied to expose the deep natural pores present in exotic woods, and is used to exploit the natural sound characteristics of the particular wood beneath.


V. Smooth-Slide Satin Finish

Free hand movement over the neck and fingerboard is vital for musical performance, and this type of satin finish optimises playability above all else allowing you to slide smoothly from chord to chord.



HARAMINIKE EFE





Hiscox cases offer outstanding protection for your instrument and come as standard with a number of our models. The combination of thermo-formed outer shell and polyurethane foam interior is extremely lightweight and provides a highly stable environment best suited to housing your precious investment. A gigbag comes with our 20, 21, 30 and all bass models, and is the top class soft cover for your instrument. Its walls are fortified with hard shell elements, and offers great ergonomics with a variety of options for carrying including side-handle, front-handle and backpack straps.

Pickups and Electronics

Whether you are writing songs in your studio or playing at the stadium right at the moment, our pickup assortment will offer you perfect reproduction of your acoustic performance.

I. L R Baggs Element Active System (EAS)

EAS features an all-discrete Class A endpin preamp and a soundhole-mounted volume control for easy access. The Element reproduces impressive body sensitivity and articulation. It also has the greatest dynamic range of any undersaddle pickup available.

II. L R Baggs The Stagepro Element

The Stagepro Element is a side-mounted preamp/EQ that offers battery access and a full chromatic tuner that is hidden beneath the control panel to maintain a clean, classy look. The three band EQ with phase inversion and Garrett Null notch filter controls deliver warm, pristine sound even under the most challenging conditions.

III. L R Baggs Anthem

At the heart of the Anthem is a revolutionary microphone engineered to capture a dynamic studio-mic'd sound for any live performance. The TRU•MIC mounts to the underside of the bridge plate and hovers just 3 mm above its surface to take advantage of the PZM or "boundary" effect. This proprietary mounting system, combined with noise cancellation, frees the mic to perform as if it were outside of the guitar in a studio and maintain remarkable feedback suppression for the stage.

IV. L R Baggs Anthem Stagepro

The Anthem Stagepro is a sidemounted variation of this pickup which allows you to use three range equalizer and on board tuner. This side-mounted option provides easy battery access and a built-in tuner that is hidden beneath the control panel. The mix control blends from the augmented TRU MIC position to Element pickup only. Bass & treble controls.

V. L R Baggs - M80

The secret of the M80 is a patented, free-floating humbucking coil that acts as a 3D body sensor and blends the body resonance to a magnetic pickup sound.

RELENTLESS INNOVATION IN ACQUISTIC AMPLIFICATION

IV.








Our line 25 offers a choice of master grade Sitka Spruce or Western Red Cedar top, along with master grade Indian Rosewood back and sides. The Hawaiian Koa body binding features a contrasting line to accentuate the natural beauty of the wood, and the purfling is made of solid abalone pearl. Model 25 of our Millennium Series is truly a remarkable instrument.

Body shapes:



Wood variants:

Sitka Spruce

Western Red Cedar








Rosewood Rosewood 25-SR 25-CR



LINE 24

Model 24 is a very natural-feeling instrument. Its beauty comes from the harmonies of woods used, as shown in the combination of the red Padouk binding and either Indian Rosewood or European Flamed Maple back and sides, both complimented beautifully by our hand-polished Vintage finish.

Body shapes:



Wood variants:

Spruce

Sitka Spruce



European


24-SF











Sitka
















Line 21 is the big sister of Line 20 with similar features including an all solid body.

The top is made from Sitka Spruce and the back and sides are the beautiful sounding Walnut wood. The natural feeling of this instrument is underlined by the Open-Pore finish.

Body shapes:



Wood variants:

Sitka Spruce







Black Walnut 21-SW




LINE 20

Line 20 provides a minimalistic design but with maximum sound features.

The body is made from all solid materials and an Open-Pore coating gives this model a deeper, more natural sound of American Red Cedar top and African Mahogany back and sides.

Body shapes:



Wood variants:

Western Red Cedar



20-CM














Vintage Series Since





The flagship of our Vintage Series, Line 35 is constructed with exceptional attention to detail and master-grade materials throughout. It not only features the best sound, but also an exquisite appearance thanks to its beautiful Madagascar Rosewood headstock veneer and curly Hawaiian Koa binding.

Body shapes:



Wood variants:

Sitka Spruce








Indian Rosewood 35-SR



LINE 34

Though it may look traditional on the outside the Line 34 benefits from decades of research and development. Modern features of this guitar include advanced resonance tuning applied to the top, and our resonance-enhancing finish.

Body shapes:



Wood variants:

Sitka Spruce


















If fancy design features are not needed, Model 33 could be the perfect choice, with its exceptional build quality, carefully selected Sitka Spruce top and Indian Rosewood back and sides and our Hand-Brushed Vintage finish.

Body shapes:



Wood variants:

Sitka Spruce







Indian Rosewood 33-SR




LINE 32

Line 32 sits in the mid-range of our Vintage Series and offers great value with no compromise on sound.

The Honduras Mahogany back and sides produce a clear bass tone while the Sitka Spruce top gives the instrument a well-balanced, multi-purpose sound.

Body shapes:



Wood variants:

Sitka Spruce
















Line 31 guitars come with a Sitka Spruce top and choice of the ever-popular Indian Rosewood or Honduras Mahogany for the back and sides.

This is the first model of the Vintage Series to feature our beautiful hand-brushed Vintage Finish. A truly great choice.

Body shapes:



Wood variants:

Sitka Spruce

Sitka Spruce






Indian South American Rosewood Mahogany 31-SR 31-SM



LINE 30

Model 30 might be the starting line in our Vintage Series but is still a high class instrument featuring full solid wood construction. This line comes with Sitka Spruce top and African Mahogany back and sides. The wood combination is underlined with our Open-Pore finish to preserve the natural sound of the source material.

Body shapes:



Wood variants:

Sitka Spruce

Mahogany

30-SM















Specific Instruments Since












Lefthand LINE 23

As with our standard Line 23, the left-handed version is undoubtedly a top-class instrument.

Along with its full High-Gloss finish, Line 23 is the first in the Millennium Series to offer custom options such as Cocobolo or Madagascar Rosewood back and sides.

Body shapes:



Wood variants:

Western Red Cedar








Indian Rosewood 23-CR



Lefthand LINE 20

The Line 20 offers the left-handed player a minimalistic design but with maximum sound quality. The body is made from all solid materials and an Open-Pore coating gives this model a deeper, more natural sound of the American Red Cedar and African Mahogany. This guitar proves that with Furch, being left-handed is no barrier to owning a quality instrument.

Body shapes:



Wood variants:

Western Red Cedar



Mahogany

20-CM













Specifications



LINE 25 (25-SR/25-CR)

Body	
Solid Top (25-SR)	Sitka Spruce
Solid Top (25-CR)	American Red Cedar
Solid Back and Side	es Indian Rosewood
Binding Haw	aiian Koa with Contrast Lining
Purfling G	reen Abalone Inlay with Black White Contour
Rosette	Black & White Triple Ring with Green Abalone Inlay
Bridge	Ebony
Bridge Pins	Ebony with Pearl Eye
Bridge Inlay	Pearl Tropical Leaf Inlay
Saddle	TUSQ Fully Compensated
String Spacing at t	he Bridge 55 mm
Top Finish	High Gloss Finish
Back & Sides Finish	High Gloss Finish
Pick Guard	Anti Scratch Transparent

Pick Guard	Anti Scratch Transparent
Neck	
Nut Width	45 mm
Available Nut Width	43 mm And 48 mm
Scale Length	650 mm
Fingerboard Material	Ebony
Fingerboard Radius	400 mm
Fingerboard Inlay	Pearl Tropical Leaf Inlay
Headstock Overlay	Ebony
Headstock Inlay	Green Abalone Tropical
	Leaf Inlay
Fingerboard	Hawaiian Koa with Ivory
& Headstock Binding	Contrast Lining
Neck Material	African Mahogany
Machine heads	Schaller M6 Chrome
	- Gear Ratio 1:15
Machine Head Buttons	
Nut	TUSQ
String Spacing at the N	
	xir Ph-Br Nanoweb 12-53
	Satin Smooth-Slide Finish

1	ces	co	rio	
4		,50	116	2

Neck Finish Headstock Finish

Hiscox Hard Shell Case Comes in

Available Pickups

LR Baggs EAS • Soundhole Mounted LR Baggs StagePro Element • Side Mounted with Tuner And Equalizer LR Baggs Anthem System •
Soundhole Mounted
LR Baggs StagePro Anthem •
Soundhole Mounted with Tuner and Equalizer

High Gloss Finish

LR Baggs M80 Active Magnetic System •

LINE 24 (24-SF/24-SR)

	,	
Body		
Solid Top		Sitka Spruce
Solid Back of	and Sides (24-SF)	European
		Flamed Maple
Solid Back of	and Sides (24-SR)	Indian Rosewood
Binding		vith Contrast Lining
Purfling		k Wood with Black & White Lining
Rosette		th Pearl Wave Inlay reen Abalone Inlay
Bridge		Ebony
Bridge Pins	Eb	ony with Pearl Eye
Saddle		Fully Compensated
String Space	ing at the Bridge	55 mm
		and-Brushed Finish
Back & Side		Vintage Hand
		-Brushed Finish
2:10 1		

45 mm
43 mm And 48 mm
650 mm
Ebony
400 mm
Pearl Wave Inlay
with Padouk Eye
Ebony
Pearl Wave Inlay with Padouk Eye

Pick Guard

Anti Scratch Transparent

	with Padouk Eye
Fingerboard	Ivory Contrast Lining
& Headstock Bindin	q
Neck Material	African Mahogany
Machine heads	Schaller M6 Chrome
	- Gear Ratio 1:15
Machine Head Butt	ons Polished Ebony
Nut	TUSQ
String Spacing at th	e Nut 38 mm
Strings	Elixir Ph-Br Nanoweb 12-53
Neck Finish	Satin Smooth-Slide Finish
Headstock Finish	Vintage Hand-Brushed Finish

Accessories	
Comes in	Hiscox Hard Sh

Available Pickups

Soundhole Mounted LR Baggs StagePro Element •
Side Mounted with Tuner And Equalizer
LR Baggs Anthem System •
Soundhole Mounted LR Baggs StagePro Anthem • Soundhole Mounted with Tuner and Equalizer

LR Baggs M80 Active Magnetic System •

ell Case

LR Baggs EAS •



(23-SF/23-CR Elite/23-CR)

Body	
Solid Top (23-SF)	Sitka Spruce
	3-CR) American Red Cedar
Solid Back and Sides (23-SF)	European Flamed Maple
Solid Back and Sides (23-CR Elite/23-CR)	Indian Rosewood
Binding (23-SF/23-CR)	Artificial Tortoise
	with Contrast Lining
Binding (23-CR Elite)	Flamed Maple
, ,	with Contrast Lining
Purfling (23-SF/23-CR)	
Purfing (23-CR Elite)	Green & White Lining
	Black & White Triple Ring
	with Green Abalone Inlay
Rosette(23-CR Elite)	Black, White and Green
	with Green Abalone Inlay
Bridge	Ebony
Bridge Pins (23-SF/23-	
Bridge Pins (23-SR) Elite	
	TUSQ Fully Compensated
String Spacing at the B	
Top Finish	High Gloss
Back & Sides Finish	High Gloss
Pick Guard	Anti Scratch Transparent

Neck	
Nut Width	45 mm
Available Nut Width	43 mm And 48 mm
Scale Length	650 mm
Fingerboard Material	Ebony
Fingerboard Radius	400 mm
Fingerboard Inlay	Pearl Flower Inlay
Headstock Overlay	Ebony
Fingerboard & Headstock Binding (23-CR Elite)	Flamed Maple
Neck Material	African Mahogany
Machine heads	Schaller M6 Gold
	- Gear Ratio 1:15
Machine Head Buttons (23-SF/23-CR)	Artificial Tortoise

(23-SF/23-CR)	ons Artificial Tortoise
Machine Head Butte (23-CR Elite)	ons Polished Ebony
Nut	TUSQ
String Spacing at th	e Nut 38 mm
Strings	Elixir Ph-Br Nanoweb 12-53
Neck Finish	Satin Smooth-Slide Finish
Headstock Finish	High Gloss
Assessment	

Accessories	
Comes in	Hiscox Hard Shell Case

Soundhole Mounted with Tuner and Equalizer

LR Baggs M80 Active Magnetic System •

Available Pickups

LR Baggs EAS •

Soundhole Mounted

LR Baggs StagePro Element •

Side Mounted with Tuner And Equalizer

LR Baggs Anthem System • Soundhole Mounted LR Baggs StagePro Anthem •

LINE 22

(22-SR/22-SR Blackline/22-CM)

Body	
Solid Top (22-SR/22-SR Blo	ackline) Sitka Spruce
Solid Top (22-CM)	American Red Cedar
Solid Back and Sides	Indian Rosewood
(22-SR/22-SR Blackline)	
Solid Back and Sides (22-Cl	(I) Honduras Mahogany
Binding (22-SR)	Artificial Ivory
Binding (22-SR Blackline)	
, , , , , , , , , , , , , , , , , , , ,	Contrast Lining
Binding (22-CM)	Artificial Tortoise
Purfling (22-SR)	Black & White Lining
Purfing (22-SR Blackline)	
Purfling (22-CM)	Black & White Lining
Rosette (22-SR/22-CM) BI	
Rosette (22-SR Blackline)	Ivory Rings
Bridge	Ebony
Bridge Pins	Ebony
	SQ Fully Compensated
String Spacing at the Brid	
Top Finish (22-SR/22-CM)	High gloss
Top Finish (22-SR Blackline)	
Back & Sides Finish (22-SF	
Back & Sides Finish (22-3)	
(22-SR Blackline)	riallo black-riigii Gloss
	nti Scratch Transparent
PICK GUATA AI	nu Scrattch Trainsbaren

Neck	
Nut Width	45 mm
Available Nut Width	43 mm And 48 mm
Scale Length	650 mm
Fingerboard Material	Ebony
Fingerboard Radius	400 mm
Fingerboard Inlay	Pearl Dots
Headstock Overlay	Ebony
Fingerboard & Headstock Binding (22-SR Blackline)	
Neck Material	African Mahogany
Machine heads (22-SR/22-	
	ome - Gear Ratio 1:15
Machine heads (22-SR Blac	

	Cilionie -	Geal Matto 1:13
Machine Head Bu	ittons (22-SR Blac	kline) Black Satin
Nut		TUSC
String Spacing a	t the Nut	38 mm
Strings	Elixir Ph-Br	Nanoweb 12-53
Neck Finish	Satin Smo	oth-Slide Finish

Headstock Finish (22-SR Blackline) High Gloss

Accessories

Hiscox Hard Shell Case Comes in

Available Pickups

LR Baggs EAS • Soundhole Mounted LR Baggs StagePro Element •
Side Mounted with Tuner And Equalizer
LR Baggs Anthem System •
Soundhole Mounted LR Baggs StagePro Anthem • Soundhole Mounted with Tuner and Equalizer

LR Baggs M80 Active Magnetic System •

LINE 21

(21-SW)

Body	
Solid Top	Sitka Spruce
Solid Back and Sides	Walnut
Binding	Artificial Ivory
Purfling	Black & White Lining
Rosette	Black & White Triple Ring
Bridge	Ebony
Bridge Pins	Ebony
Saddle	TUSQ Fully Compensated
String Spacing at the	
Body Finish	Open-Pore
Pick Guard	Satin Transparent

45 mm
43 mm And 48 mm
650 mm
Ebony
400 mm
Ebony
African Mahogany
Furch Machine Chrome
- Gear Ratio 1:15
TUSQ
ut 38 mm
xir Ph-Br Nanoweb 12-53
h Open-Pore

Accessories	
Accessories	
Camar In	High Destaction ClaDa

Available Pickups

LR Baggs EAS • Soundhole Mounted LR Baggs StagePro Element •
Side Mounted with Tuner And Equalizer
LR Baggs Anthem System •
Soundhole Mounted LR Baggs StagePro Anthem • Soundhole Mounted with Tuner and Equalizer

LR Baggs M80 Active Magnetic System •

(20-CM)

ody	
olid Top	American Red Cedar
olid Back and Sides	African Mahogany
inding	Artificial Tortoise
ridge	Ebony
addle	TUSQ Fully Compensated
tring Spacing at the	Bridge 55 mm
ody Finish	Open-Pore
ick Guard	Artificial Tortoise

IVECK	
Nut Width	45 mm
Available Nut Width	43 mm And 48 mm
Scale Length	650 mm
Fingerboard Materia	Ebony
Fingerboard Radius	400 mm
Headstock Overlay	Ebony
Neck Material	African Mahogany
Machine heads	Furch Machine Chrome
	- Gear Ratio 1:15
Nut	TUSC
String Spacing at the	Nut 38 mm
	Elixir Ph-Br Nanoweb 12-53

Accessories			
Commence to	1.17 mln	Destantion	CI-D

Available Pickups

Neck & Headstock Finish

LR Baggs EAS • Soundhole Mounted LR Baggs StagePro Element • Side Mounted with Tuner And Equalizer LR Baggs Anthem System • Soundhole Mounted

LR Baggs StagePro Anthem •
Soundhole Mounted with Tuner and Equalizer
LR Baggs M80 Active Magnetic System •



LINE 40 (Line 40)

Body **American Red Cedar** Laminated Mahogany Solid Back and Sides Bridge Saddle Ebony **TUSQ Fully Compensated** String Spacing at the Bridge 55 mm Open-Pore Pick Guard **Artificial Tortoise**

Neck Nut Width 45 mm Scale Length 650 mm Fingerboard Material Ebony Fingerboard Radius 400 mm Headstock Overlay Ebony African Mahogany Neck Material Machine heads **Furch Machine Chrome** - Gear Ratio 1:15

Monel Zero Fret String Spacing at the Nut 38 mm Elixir Ph-Br Nanoweb 12-53 Neck & Headstock Finish Open-Pore

Accessories

Available Pickups

Comes in

LR Baggs EAS • Soundhole Mounted

High-Protection GigBag

LR Baggs StagePro Element • Side Mounted with Tuner And Equalizer

LR Baggs Anthem System . Soundhole Mounted

LR Baggs StagePro Anthem • Soundhole Mounted with Tuner and Equalizer LR Baggs M80 Active Magnetic System .

LINE 35

(35-SR)

Body Sitka Spruce Solid Back and Sides Indian Rosewood Hawaiian Koa with Contrast Lining Purfling Rosette Herringbone Black & White Triple Ring with Green Abalon Inlay Ebony Bridge Pins Saddle Ebony with Pearl Eye **TUSQ Fully Compensated** String Spacing at the Bridge 55 mm Elixir Ph-Br Nanoweb 12-53 Vintage Hand-Brushed Finish Back & Sides Finish Vintage Hand-Brushed

Neck

Pick Guard

Nut Width 43 mm Available Nut Width 45 mm and 48 mm Scale Length 650 mm Fingerboard Material Ebony Fingerboard Radius 400 mm Fingerboard Inlay Pearl Quadratic Inlay Headstock Overlay Madagascar Rosewood Headstock Inlay Pearl Lily Inlay Fingerboard & Headstock Hawaiian Koa Binding with Ivory Contrast Lining Neck Material African Mahogany Schaller GrandTune Machine heads - Gear Ratio 1:18 Polished Indian Machine Head Buttons Rosewood TUSQ String Spacing at the Nut 35 mm

Accessories

Headstock Finish

Neck Finish

Comes in Hiscox Hard Shell Case

Available Pickups

LR Baggs EAS • Soundhole Mounted LR Baggs StagePro Element •

Elixir Ph-Br Nanoweb 12-53

Vintage Hand-Brushed Finish

Satin Smooth-Slide Finish

Side Mounted with Tuner And Equalizer LR Baggs Anthem System • Soundhole Mounted

LR Baggs StagePro Anthem • Soundhole Mounted with Tuner and Equalizer LR Baggs M80 Active Magnetic System •

LINE 34

(34-SR)

Body Sitka Spruce Solid Back and Sides Indian Rosewood **Artificial Ivory** Purfling Rosette Herringbone Black & White Triple Ring with Green Abalone Inlay Ebony Ebony Bridge Pins Saddle **TUSQ Fully Compensated** 55 mm Elixir Ph-Br Nanoweb 12-53 Vintage Hand-Brushed Finish Top Finish Back & Sides Finish Vintage Hand-Brushed Finish **Tiger-Spot Pick Guard** Pick Guard

Neck

Finish

Tiger-spot Pick Guard

Nut Width 43 mm Available Nut Width 45 mm and 48 mm Scale Length 650 mm Fingerboard Material Ebony Fingerboard Radius 400 mm Fingerboard Inlay Headstock Overlay Pearl Quadratic Inlay Ebony Headstock Inlay **Full Oldtime Lily** Fingerboard & Headstock Binding Artificial Ivory Neck Material African Mahogany Gotoh Gotoh SE700-06MXG Machine heads Gold Patina - Gear Ratio 1:15 TUSQ Nut String Spacing at the Nut 35 mm Elixir Ph-Br Nanoweb 12-53 Neck Finish Satin Smooth-Slide Finish Headstock Finish Vintage Hand-Brushed Finish

Accessories

Hiscox Hard Shell Case Comes in

Available Pickups

LR Baggs EAS . Soundhole Mounted

LR Baggs StagePro Element • Side Mounted with Tuner And Equalizer LR Baggs Anthem System •

Soundhole Mounted

LR Baggs StagePro Anthem . Soundhole Mounted with Tuner and Equalizer LR Baggs M80 Active Magnetic System .

LINE 33 (33-SR)

Body Sitka Spruce Solid Top Solid Back and Sides Indian Rosewood Binding Purfling Rosette **Artificial Ivory** Herringbone Black & White Triple Ring with Herringbone Inlay Ebony Bridge Pins Ebony Saddle **TUSQ Fully Compensated** 55 mm Elixir Ph-Br Nanoweb 12-53 Top Finish Vintage Hand-Brushed Finish Back & Sides Finish Vintage Hand-Brushed Finish

Neck

Pick Guard

43 mm Nut Width Available Nut Width 45 mm and 48 mm Scale Length 650 mm Fingerboard Material Ebony Fingerboard Radius 400 mm Fingerboard Inlay Headstock Overlay **Pearl Quadratic Inlay** Ebony Neck Material African Mahogany Gotoh SE700-06MXN Machine heads Chrome Patina - Gear Ratio 1:15 Nut TUSQ String Spacing at the Nut 35 mm Strings Elixir Ph-Br Nanoweb 12-53

Accessories

Hiscox Hard Shell Case Comes in

Headstock Finish Vintage Hand-Brushed Finish

Available Pickups

LR Baggs EAS • Soundhole Mounted LR Baggs StagePro Element • Side Mounted with Tuner And Equalizer LR Baggs Anthem System •

Soundhole Mounted

Satin Smooth-Slide Finish

Tiger-Spot Pick Guard

LR Baggs StagePro Anthem • Soundhole Mounted with Tuner and Equalizer LR Baggs M80 Active Magnetic System •

LINE 32 (32-SM)

Body Solid Top Sitka Spruce Honduras Mahogany Artificial Tortoise Solid Back and Sides Purfling Rosette Herringbone Black & White Triple Ring with Herringbone Inlay Ebony Ebony Bridge Pins **TUSQ Fully Compensated**

Saddle String Spacing at the Bridge 55 mm Elixir Ph-Br Nanoweb 12-53 Top Finish Vintage Hand-Brushed Finish Back & Sides Finish Vintage Hand

-Brushed Finish Pick Guard **Tiger-Spot Pick Guard**

Neck

Nut Width 43 mm Available Nut Width 45 mm and 48 mm Scale Length 650 mm Fingerboard Material Fingerboard Radius Fingerboard Inlay Headstock Overlay Ebony 400 mm Large Pearl Dots Ebony Neck Material African Mahogany Machine heads Gotoh SE700-06MXN Chrome Patina - Gear Ratio 1:15

Nut TUSQ 35 mm String Spacing at the Nut Strings Neck Finish Elixir Ph-Br Nanoweb 12-53 Satin Smooth-Slide Finish Headstock Finish Vintage Hand-Brushed Finish

Accessories

Hiscox Hard Shell Case Comes in

Available Pickups

LR Baggs EAS • Soundhole Mounted LR Baggs StagePro Element • Side Mounted with Tuner And Equalizer LR Baggs Anthem System •

Soundhole Mounted LR Baggs StagePro Anthem •

Soundhole Mounted with Tuner and Equalizer LR Baggs M80 Active Magnetic System •

LINE 31 (31-SR/31-SM)

Body

Sitka Spruce Solid Back and Sides (31-SR) Indian Rosewood Solid Back and Sides (31-SM) Mahogany **Artificial Tortoise** Binding (31-SM) Binding (31-SR) **Artificial Tortoise** with Contrast Lining **Black & White Lining** Purfling Rosette Black & White Triple Ring Bridge Ebony Bridge Pins Saddle Ebony **TUSQ Fully Compensated** String Spacing at the Bridge 55 mm Elixir Ph-Br Nanoweb 12-53 Top Finish Vintage Hand-Brushed Finish Back & Sides Finish Vintage Hand-Brushed Finish Pick Guard Artificial Tortoise Pick guard

Neck

Nut Width 45 mm Available Nut Width 43 mm And 48 mm Scale Length Fingerboard Material 650 mm Ebony Fingerboard Radius 400 mm Fingerboard Inlay **Pearl Dots** Headstock Overlay Ebony Neck Material African Mahogany Machine heads **Furch Machine Chrome** - Gear Ratio 1:15 Nut

TUSQ String Spacing at the Nut 38 mm Elixir Ph-Br Nanoweb 12-53 Satin Smooth-Slide Finish Headstock Finish Vintage Hand-Brushed Finish

Accessories

Comes in Hiscox Hard Shell Case

Available Pickups

LR Baggs EAS • Soundhole Mounted

LR Baggs StagePro Element • Side Mounted with Tuner And Equalizer LR Baggs Anthem System • Soundhole Mounted

LR Baggs StagePro Anthem • Soundhole Mounted with Tuner and Equalizer

LR Baggs M80 Active Magnetic System •



LINE 30 (30-SM)

Body	
Solid Top	Sitka Spruce
Solid Back and Sides	African Mahogan
Binding	Artificial Tortois
Purfling	Black & White Lining
Rosette	Black & White Triple Ring
Bridge	Ebon
Bridge Pins	Ebon
Saddle	TUSQ Fully Compensated
String Spacing at the	
Top Finish	Open-Pore Finisl
Back & Sides Finish	Open-Pore Finish
Pick Guard	Artificial Tortoise Pick guard

Neck

Nut Width	45 mm
Available Nut Width	43 mm And 48 mm
Scale Length	650 mm
Fingerboard Material	Ebony
Fingerboard Radius	400 mm
Headstock Overlay	Ebony
Neck Material	African Mahogany
Machine heads	Furch Machine Chrome
	- Gear Ratio 1:15
Nut	TUSO

Strings Neck Finish

Accessories **High-Protection Gig Bag** Comes in

Available Pickups

LR Baggs EAS • Soundhole Mounted

Elixir Ph-Br Nanoweb 12-53

Open-Pore Finish

LR Baggs StagePro Element •
Side Mounted with Tuner And Equalizer
LR Baggs Anthem System •

LR Baggs StagePro Anthem • Soundhole Mounted with Tuner and Equalizer

12-string LINE

(23-CR12/20-CM12)

Body

Jone 10p	Allielledil ited ecoul
Solid Back and Sides (2	3-CR12) Indian Rosewood
	0-CM12) African Mahogany
Binding (23-CR12)	Artificial Tortoise
	with Contrast Lining
Binding (20-CM12)	Artificial Tortoise
Purfling (23-CR12)	Black & White Lining
Rosette (23-CR12)	Black & White Triple Ring
	with Green Abalon Inlay
Bridge	Ebony
Bridge Pins (23-CR12)	Artificial Tortoise
Saddle	TUSQ Fully Compensated
String Spacing at the I	
Top Finish (23-CR12)	High Gloss
Body Finish (20-CM12)	
Back & Sides Finish (2)	

Pick Guard (23-CR12) Anti Scratch Transparent

Artificial Tortoise

High Gloss

LR Baggs EAS •

Hiscox Hard Shell Case

Soundhole Mounted

LR Baggs StagePro Element •

LR Baggs StagePro Anthem •

LR Baggs Anthem System •

Side Mounted with Tuner And Equalizer

Soundhole Mounted with Tuner and Equalizer

High-Protection GigBag

Neck

Pick Guard (20-CM12)

Available Pickups

Standard Nut Width	48 mm
Scale Length	650 mm
Fingerboard Material	Ebony
Fingerboard Radius	400 mm
Fingerboard Inlay (23-CR12)	Pearl Flower Inlay
Headstock Overlay	Ebony
Neck Material	African Mahogany
Machine heads (23-CR12)	Schaller M6 Gold
	- Gear Ratio 1:15
Machine heads (20-CM12)	Furch Machine
Chron	ne - Gear Ratio 1:15

Machine Head Buttons (23-CR12) Artificial Tortoise Nut TUSQ String Spacing at the Nut 41 mm Elixir Br Nanoweb 10-47 Neck Finish (23-CR12) Satin Smooth-Slide Finish Headstock Finish (23-CR12) High Gloss

Neck & Headstock Finish (20-CM12) Open-Pore

Soundhole Mounted

Accessories LR Baggs M80 Active Magnetic System • Comes in (23-CR12) Comes in (20-CM12)

38 mm

Bass Guitars

(B61-CM, B62-SW)

Bod			-
рии		•	а
	О	u	u

Solid Top (61-CM) Solid Top (62-SW)	American Red Cedar Sitka Spruce
Solid Back and Sides (61-CM)	
Solid Back and Sides (62-SW)	Black Walnut
Binding	Artificial Tortoise
Bridge	Ebony
Saddle	Black TUSQ
String Spacing at the Bridge (5-string version)	72 mm
String Spacing at the Bridge (4-string version)	57 mm
Body Finish	Open-Pore
Neck	
Nut Width (5-string version)	45 mm
Nut Width (4-string version)	40 mm
Scale Length	860 mm

Fingerboard Materia Fingerboard Radius Ebony 400 mm Headstock Overlay Ebony Neck Material African Mahogany Machine heads Furch Machine Black Chrome - Gear Ratio 1:18

Black TUSQ String Spacing at the Nut 38 mm (5-string version) String Spacing at the Nut 32 mm (4-string version) Strings (5-string version) Elixir Bass

Nickel Plated Steel NANOWEB 45-130 **Elixir Bass** Strings (4-string version)

Nickel Plated Steel NANOWEB 45-100 Neck & Headstock Finish Open-Pore

Accessories

High-Protection GigBag Comes in

Preinstaled Pickup (61-CM)

LR Baggs EAS . Soundhole Mounted

Preinstaled Pickup (62-SW)

LR Baggs Anthem SL • Soundhole Mounted



Little Jane

(LJ10CM)

American Bad Cadas
American Red Cedar
African Mahogany
Artificial Tortoise
Ebony
TUSQ Fully Compensated
Bridge 55 mm
Open-Pore

Neck	
Nut Width	45 mm
Scale Length	615 mm
Fingerboard Material	Ebony
Fingerboard Radius	400 mm
Headstock Overlay	Black ABS
Neck Material	African Mahogany
Machine heads	Furch Machine
String-Lock	Chrome Gear Ratio 1:15
Nut	Monel Zero Fret
String Spacing at the Nu	
	ir Ph-Rr Nanoweh 12-53

Accessories

Neck & Headstock Finish

Comes in **High-Protection Back Pack**

Available Pickup

LR Baggs EAS • Soundhole Mounted

Open-Pore



Lefthand LINE

(20-CM/23-CR)

Body Solid Top American Red Cedar Solid Back and Sides (20-CM) African Mahogany Solid Back and Sides (23-CR) Indian Rosewood Binding (20-CM) Binding (23-CR) **Artificial Tortoise Artificial Tortoise** with Contrast Lining Purfling (23-CR) Rosette (23-CR) **Black & White Lining** Black & White Triple Ring with Green Abalone Inlay Ebony Bridge Pins (23-CR) **Artificial Tortoise** Saddle **TUSQ Fully Compensated**

String Spacing at the Bridge Body Finish (20-CM) Open-Pore High Gloss High Gloss Artificial Tortoise Top Finish (23-CR) Back & Sides Finish (23-CR) Pick Guard (20-CM) Pick Guard (23-CR) Anti Scratch Transparent

Neck

Nut Width	45 mm
Available Nut Width	43 mm and 48 mm
Scale Length	650 mm
Fingerboard Material	Ebony
Fingerboard Radius	400 mm
Fingerboard Inlay (23-CR)	Pearl Flower Inlay
Headstock Overlay	Ebony
Neck Material	African Mahogany
Machine heads (20-CM) Fu	rch Machine Chrome
	- Gear Ratio 1:15
Machine heads (23-CR)	Schaller M6 Gold

Machine Head Buttons (23-CR) Artificial Tortoise TUSQ String Spacing at the Nut 38 mm Elixir Ph-Br Nanoweb 12-53 Neck & Headstock Finish (20-CM) Open-Pore Neck Finish (23-CR) Satin Smooth-Slide Finish Headstock Finish (23-CR) **High Gloss**

Accessories

Comes in (23-CR12) **Hiscox Hard Shell Case** Comes in (20-CM12) High-Protection GigBag

Available Pickups

LR Baggs EAS • Soundhole Mounted

- Gear Ratio 1:15

- LR Baggs StagePro Element •
 Side Mounted with Tuner And Equalizer
 LR Baggs Anthem System
 - Soundhole Mounted
- LR Baggs StagePro Anthem Soundhole Mounted with Tuner and Equalizer

LR Baggs M80 Active Magnetic System •

Baritone Guitars

(Baritone 23-CR*)

۱r	١v	
•	• 7	

Solid Top	American Red Cedar
Solid Back and Side	
Binding Artificial	Tortoise with Contrast Lining
Purfling	Black & White Lining
Rosette	Black & White Triple Ring
	with Green Abalon Inlay
Bridge	Ebony
Bridge Pins	Artificial Tortoise
Saddle	TUSQ Fully Compensated
String Spacing at th	
Top Finish	High Gloss
Back & Sides Finish	High Gloss
Pick Guard	Anti Scratch Transparent

Neck

cale Length	710 mm	
ingerboard Material	Ebony	
ingerboard Radius	400 mm	
ingerboard Inlay	Abalone Dots	
eadstock Overlay	Ebony	
eck Material	African Mahogany	
1achine heads	Schaller M6 Gold	
	- Gear Ratio 1:15	
Nachine Head Buttons	Artificial Tortoise	
ut	TUSQ	
tring Spacing at the Nut	38 mm	
trings Elixir	Elixir Ph-Br Nanoweb 16-72	
eck Finish Sat	Satin Smooth-Slide Finish	
eadstock Finish	High Gloss	

Accessories

Comes in Hiscox Hard Shell Case

Available Pickups

LR Baggs EAS • Soundhole Mounted

45 mm

- LR Baggs StagePro Element Side Mounted with Tuner And Equalizer
 - LR Baggs Anthem System .
 - Soundhole Mounted
- LR Baggs StagePro Anthem Soundhole Mounted with Tuner and Equalizer LR Baggs M80 Active Magnetic System •

^{*} Available in Models 20 to 25



From the Heart of Europe



Furch guitars s.r.o., Městečko 27

691 63 Velké Němčice, Czech Republic - Europe

Phone: +420 519 417 285 Email: info@furch.cz

WWW.FURCH.CZ

Release Date: May 2015